		<u> </u>	
	Application No.	Applicant(s)	
	10/767,028	WILLIAMS ET AL.	
Notice of Allowability	Examiner	Art Unit	
	Lex Malsawma	2823	
The MAILING DATE of this communication appearable All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT Report of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this apply or other appropriate communication IGHTS. This application is subject to	olication. If not include will be mailed in due	ed course. THIS
1. This communication is responsive to the amendment filed January 21, 2005.			
2. The allowed claim(s) is/are 2-20.			
3. X The drawings filed on 28 January 2004 are accepted by the Examiner.			
 4. ☐ Acknowledgment is made of a claim for foreign priority ur a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	e been received. e been received in Application No		tion from the
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the red	quirements
5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give			OTICE OF
6. CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t			back) of
7. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT			Note the
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal P 6. ☐ Interview Summary Paper No./Mail Dat 7. ☑ Examiner's Amenda 8. ☐ Examiner's Stateme 9. ☐ Other	(PTO-413), le nent/Comment	ŕ

Application/Control Number: 10/767,028 Page 2

Art Unit: 2823

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. David Millers on February 17, 2005.

2. The application has been amended as follows:

At claim 10, line 11, after "second insulating layer", the following has been inserted:

--, wherein the depositing is performed at a pressure greater than atmospheric pressure--.

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lex Malsawma whose telephone number is 571-272-1903.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Olik Chaudhuri can be reached on 571-272-1855. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/767,028

Art Unit: 2823

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Lex Malsawma

February 17, 2005

MATTHEW SMITH SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2800